



Hanging Camera Target

www.lomah-target.com



Catalogue

1.Product Introduction

4.Main Technical Indicators

2.System Composition

5.Complete configuration

3.System Function


6.Product Pictures



1.Product Introduction



The hanging camera target is a camera target independently developed by our company. It is controlled by software to stop at any position, and the high-definition camera of the target captures the impact point in real time for real-time viewing, achieving zero error in target reporting accuracy, greatly improving training rhythm and safety. Shooters can see the impact point in real time, adjust their movements in a timely manner, and consolidate muscle memory. This target is suitable for indoor shooting range training and supports shooting with various weapons such as toy guns, air guns, rifles, military and police pistols, heavy machine guns, etc. It is not affected by weapon caliber or bullet speed; It can meet the training needs of precision shooting, applied shooting, etc., with high efficiency, precision, and safety.



FNY-KJ-C5



2. System composition



Product Display






2. System composition




Video Presentation





2. System composition



Charging device: The target returns to point 0 and contacts the charging device for charging.

Encoder: Real time feedback of position signal, controlling the target to decelerate in advance to reach the set position smoothly.

Walking motor: 24V200W DC brushless motor, controlled by a driver to move the target (adjustable from 0-2.5m/s).

High definition camera: 4K high-definition camera, real-time viewing.

Bulletproof plate: composed of 6.2mm thick NP550 steel plate and 20mm thick rubber plate, with a hollow in the middle between the two plates. After the bullet penetrates the rubber plate, it is intercepted by the steel plate to prevent the bullet from rebounding.

Target: EVA material or paper .

Track: Aluminum profile track with high flatness and low wear resistance and noise.

Battery: 24V 12AH battery.



3. System function



Not limited by shooting angle

The FNY-KJ-C5 hanging camera target is primarily used for indoor shooting range training. High-definition cameras capture target board images and provide real-time visual feedback to shooters and commanders.



Not limited by gun type

The FNY-KJ-C5 hanging camera target reporting system can meet the shooting needs of toy guns, air guns, rifles, military and police pistols, various weapons such as heavy machine guns, subsonic and supersonic weapons, etc.



Not limited by target

No special targets are required, just use a regular EVA target box and regular target paper; The target surface is just a targeted target, just stick a target paper after breaking it.



3. System function



Target ID: 01 Current Position: 0.0 m Battery Level: High Comm Status: Online

Manual Control

Move Forward Move Backward
Stop

Speed Control

0 %

Video Control

Zoom Enable Zoom In
Zoom Save Zoom Out

Finish Shooting

Finish Shooting

Position Control

0 m 5 m
10 m 15 m
20 m 25 m
Enter Pos: 25 Goto

Light Control

Light On Light Off

Score Management

Capture Record

Target position adjustment

Enter any number of meters (1; 3; 5; 6; 10, etc.) in the software, and the target will provide real-time feedback on the position signal based on the encoder. It will slow down approximately 1 meter before approaching the stop position to smoothly reach the set position.

Light switch

Live camera feedback



4. Main technical indicators



No.	Item	Target
1	Applicable target type	No specific requirements apply to various general target types
2	Applicable gun type	No specific requirements apply to various general target types
3	Applicable projectile speed	Applicable to all projectile velocities
4	Target reporting accuracy	100%
6	Target reporting accuracy error	0mm
7	Target reporting response time	≤0.5s
8	Wireless control distance	1-5000m (Intervisibility)
9	Wind resistance	L6
10	Applicable temperature	-30℃ ~ +65℃



5. Complete configuration




No.	Part name	Quantity	Unit	Remarks
1	hanging camera target	1-30	pc	
2	Shooter monitor	1-30	pc	Including software
3	Power supply battery pack	1-30	set	24v12AH
4	Charging device	1-30	set	
5	Target	1-30	pc	
6	Router	1-30	pc	
7	Instruction manual	1	pc	
8	Spare parts kit	1-30	set	



6. Product pictures



Picture of complete system



Shooter Monitor



Router





Thanks for Watching